

















































内江市华信艺术喷泉厂  
Neijiang Huaxin Art Fountain Factory

0086-13880397786  
bill@huaxinfountain.com

| Photo | Name                       | Model   | Connection Size | Pressure (kpa) | Flow (M <sup>3</sup> /h) | Spray Height (m) | Coverage Diameter (m) | N.W. (g) | Quotation (USD) | Remark  | Material       | Effect |
|-------|----------------------------|---------|-----------------|----------------|--------------------------|------------------|-----------------------|----------|-----------------|---------|----------------|--------|
|       | Up Around Nozzle           | YSN1001 | M10             | 50-100         | 0.1-0.5                  | 1-3              | direct spray          | 40       | 1.40            |         | copper plating |        |
|       |                            | YSN1002 | DN15            | 50-150         | 0.3-1.5                  | 1-4              | direct spray          | 90       | 2.51            |         |                |        |
|       |                            | YSN1003 | DN20            | 50-150         | 1-3                      | 1-5              | direct spray          | 145      | 2.79            | Regular |                |        |
|       |                            | YSN1004 | DN25            | 50-150         | 2-4                      | 3-6              | direct spray          | 180      | 3.77            |         |                |        |
|       |                            | YSN1005 | DN40            | 50-150         | 3-6                      | 3-7              | direct spray          | 535      | 9.78            |         |                |        |
|       |                            | YSN1006 | DN50            | 50-200         | 5-8                      | 3-8              | direct spray          | 750      | 15.37           |         |                |        |
|       |                            | YSN1007 | DN65            | 50-200         | 6-10                     | 4-9              | direct spray          | 2180     | 53.08           |         |                |        |
|       |                            | YSN1008 | DN80            | 50-250         | 8-12                     | 5-12             | direct spray          | 2930     | 97.78           |         |                |        |
|       |                            | YSN1009 | DN100           | 50-300         | 10-16                    | 6-20             | direct spray          | 12900    | 419.05          |         |                |        |
|       | Mushroom Nozzle            | YSN2003 | DN25            | 30-50          | 2                        | 0.3              | 0.6                   | 435      | 7.26            |         | SUS304         |        |
|       |                            | YSN2004 | DN40            | 40-50          | 3                        | 0.4              | 1.0                   | 605      | 10.06           |         |                |        |
|       |                            | YSN2005 | DN50            | 40-70          | 4                        | 0.5              | 1.2                   | 955      | 16.20           |         |                |        |
|       | Morning Glory Nozzle       | YSN2009 | DN25            | 5-8            | 3                        | 0.25             | 0.6                   | 365      | 7.26            |         | SUS304         |        |
|       |                            | YSN2010 | DN40            | 6-10           | 4                        | 0.4              | 1.0                   | 520      | 10.06           |         |                |        |
|       |                            | YSN2011 | DN50            | 6-10           | 7                        | 0.5              | 1.5                   | 840      | 16.20           |         |                |        |
|       | Adjustable Cedar Nozzle    | YSN3002 | DN20            | 40-200         | 2-4                      | 1-4              | 0.2                   | 245      | 7.82            |         | SUS304         |        |
|       |                            | YSN3003 | DN25            | 40-200         | 6-10                     | 1-6              | 0.3                   | 470      | 10.06           |         |                |        |
|       |                            | YSN3004 | DN40            | 50-330         | 8-20                     | 1-8              | 0.6                   | 875      | 19.00           |         |                |        |
|       |                            | YSN3005 | Ddn50           | 50-400         | 12-25                    | 1-10             | 1.0                   | 1285     | 23.75           |         |                |        |
|       |                            | YSN3006 | DN80            | 50-450         | 21-50                    | 1-12             | 1.5                   | 4155     | 106.16          |         |                |        |
|       | Fixed Cedar Nozzle         | YSN3007 | DN15            | 40-200         | 2-4                      | 1-4              | 0.2                   | 147      | 5.03            |         | SUS304         |        |
|       |                            | YSN3008 | DN20            | 40-200         | 2-4                      | 1-4              | 0.2                   | 147      | 7.82            |         |                |        |
|       |                            | YSN3009 | DN25            | 40-200         | 6-10                     | 1-6              | 0.3                   | 400      | 10.62           |         |                |        |
|       |                            | YSN3010 | DN40            | 50-330         | 8-20                     | 1-8              | 0.6                   | 880      | 20.95           |         |                |        |
|       |                            | YSN3011 | DN50            | 50-400         | 12-25                    | 1-10             | 1.0                   | 1260     | 25.14           |         |                |        |
|       | Bubbling Nozzle, Non-Tube  | YSN4003 | DN25            | 50-100         | 3.5-8                    | 0.3-0.5          | 0.2-0.4               | 300      | 6.98            |         | SUS304         |        |
|       |                            | YSN4004 | DN40            | 50-100         | 10-18                    | 0.4-0.8          | 0.3-0.5               | 400      | 9.78            |         |                |        |
|       |                            | YSN4005 | DN50            | 60-150         | 17-25                    | 0.4-0.8          | 0.3-0.6               | 585      | 15.37           |         |                |        |
|       | Bubbling Nozzle, with-Tube | YSN4007 | DN20            | 50-100         | 2-5                      | 0.2-0.4          | 0.1-0.3               | 170      | 6.15            |         | SUS304         |        |
|       |                            | YSN4008 | DN25            | 50-100         | 3.5-8                    | 0.3-0.5          | 0.2-0.4               | 235      | 7.82            |         |                |        |
|       |                            | YSN4009 | DN40            | 50-100         | 10-18                    | 0.4-0.8          | 0.3-0.5               | 435      | 12.57           |         |                |        |
|       |                            | YSN4010 | DN50            | 60-150         | 17-25                    | 0.4-0.8          | 0.3-0.6               | 780      | 18.16           |         |                |        |

|   |                            |         |      |         |         |         |         |        |        |        |   |
|---|----------------------------|---------|------|---------|---------|---------|---------|--------|--------|--------|---|
|    | Bubbling Nozzle, Cup Shape |         |      |         |         |         |         |        |        | SUS304 |    |
|   |                            | YSN4012 | DN25 | 50-100  | 3.5-8   | 0.3-0.5 | 0.2-0.4 | 265    | 5.59   |        |   |
|   |                            | YSN4013 | DN40 | 50-100  | 10-18   | 0.4-0.8 | 0.3-0.6 | 420    | 8.38   |        |   |
|    | Firework Nozzle            |         |      |         |         |         |         |        |        | SUS304 |    |
|   |                            | YSN5003 | DN25 | 40-100  | 7-10    | 2-3.5   | 2-3     | 505    | 10.62  |        |   |
|   |                            | YSN5004 | DN40 | 50-100  | 9-13    | 2-4     | 2.5-4   | 530    | 13.41  |        |   |
|    | Flower Nozzle              |         |      |         |         |         |         |        |        | SUS304 |    |
|   |                            | YSN5008 | DN25 | 50-100  | 8-10    | 2-3     | 2-3     | 395    | 10.62  |        |   |
|   |                            | YSN5009 | DN40 | 60-120  | 13-18   | 2-4     | 2-4     | 605    | 13.41  |        |   |
|    | Straight-up Nozzle         |         |      |         |         |         |         |        |        | SUS304 |    |
|   |                            | YSN6002 | DN40 | 50-100  | 25-35   | 5-10    | 1-1.5   |        | 41.90  |        |   |
|   |                            | YSN6003 | DN50 | 100-150 | 30-40   | 8-10    | 1-1.5   | 1630   | 44.70  |        |   |
|    | Upstraight Nozzle          |         |      |         |         |         |         |        |        | SUS304 |    |
|   |                            | YSN6004 | DN65 | 100-150 | 40-50   | 8-12    | 1.5-3.5 | 2980   | 67.05  |        |   |
|   |                            | YSN6005 | DN80 | 150-200 | 50-60   | 12-15   | 2-4     |        | 125.71 |        |   |
|    | Misting Nozzle             |         |      |         |         |         |         |        |        | SUS304 |    |
|   |                            | YSN7001 | DN15 | 70-250  | 0.8-1.8 | 1.0-2.3 | fog     | 65     | 2.51   |        |   |
|   |                            | YSN7002 | DN20 | 100-300 | 1.0-2.3 | 1.0-2.8 | fog     | 115    | 3.91   |        |   |
|  | Fotation Misting           |         |      |         |         |         |         |        |        | SUS304 |  |
|   |                            | YSN7005 | DN15 | /       | /       | /       | /       | 65     | 3.81   |        |   |
|   |                            | YSN7006 | DN20 | /       | /       | /       | /       | 105    | 5.08   |        |   |
|  | Rotational Nozzle          |         |      |         |         |         |         |        |        | SUS304 |  |
|   |                            | YSN8002 | DN25 | 75      | 3.5     | 3       | 1.0-1.5 | 730    | 22.35  |        |   |
|   |                            | YSN8003 | DN40 | 100     | 10      | 4       | 1.5-2.5 | 965    | 23.75  |        |   |
|  | Windmill Shape Nozzle      |         |      |         |         |         |         |        |        | SUS304 |  |
|   |                            | YSN8004 | DN50 | 150     | 18      | 6       | 1.5-4.0 | 1410   | 36.32  |        |   |
|   |                            |         | DN25 | 75      | 3.5     | 3       | 1.0-1.5 | 1000   | 27.94  |        |   |
|   | DN40                       | 100     | 10   | 4       | 1.5-2.5 | 1253    | 33.52   |        |        |        |   |
|   | DN50                       | 150     | 18   | 6       | 1.5-4.0 | 1690    | 44.70   |        |        |        |   |
|   | DN65                       |         |      |         |         |         |         | 125.71 |        |        |   |

|   |                       |         |              |         |       |         |          |       |        |          |                       |   |
|---|-----------------------|---------|--------------|---------|-------|---------|----------|-------|--------|----------|-----------------------|---|
|    | Gas Nozzle            |         |              |         |       |         |          |       |        |          | SUS304                |    |
|   |                       | YSN8009 | DN25         | 50-100  | 3-5   | 0.5-3   | 0.3-0.8  | 325   | 10.06  |          |                       |   |
|   |                       | YSN8010 | DN40         | 50-150  | 5-10  | 1.5-5   | 0.5-1.0  | 845   | 20.95  |          |                       |   |
|   |                       | YSN8011 | DN50         | 50-150  | 6-13  | 2-10    | 0.5-1.0  | 970   | 23.75  |          |                       |   |
|    | Water Column Nozzle   |         |              |         |       |         |          |       |        |          | SUS304                |    |
|   |                       | YSN8013 | DN25         | 50-200  | 6-12  | 1.5-5.5 | 0.5-0.8  | 360   | 7.82   |          |                       |   |
|   |                       | YSN8014 | DN40         | 50-200  | 10-15 | 2-7     | 0.6-1.0  | 950   | 22.35  |          |                       |   |
|   |                       | YSN8015 | DN50         | 50-250  | 15-20 | 2-12    | 0.6-1.2  | 1400  | 33.52  |          |                       |   |
|    | Adjustable Fan Shape  |         |              |         |       |         |          |       |        |          | SUS304                |    |
|   |                       | YSN8016 | DN20         | 30-50   | 2-3   | 0.2-0.6 | 0.4-0.8  | 420   | 19.56  |          |                       |   |
|   |                       | YSN8017 | DN25         | 30-80   | 4-8   | 0.3-0.8 | 0.6-1.2  | 675   | 22.35  |          |                       |   |
|   |                       | YSN8018 | DN40         | 30-80   | 10-18 | 0.5-1.0 | 0.8-1.5  | 1605  | 36.32  |          |                       |   |
|    | Fixed Fan Shape       |         |              |         |       |         |          |       |        |          | SUS304                |    |
|   |                       | YSN8116 | 3/4"         | 30-50   | 2-3   | 0.2-0.6 | 0.4-0.8  | 245   | 18.55  |          |                       |   |
|   |                       | YSN8117 | 1"           | 30-80   | 4-8   | 0.3-0.8 | 0.6-1.2  | 475   | 21.35  |          |                       |   |
|   |                       |         |              |         |       |         |          |       |        |          |                       |   |
|    | Flat Mouth Nozzle     |         |              |         |       |         |          |       |        |          | SUS304                |    |
|   |                       | YSN8020 | DN20         | 30-50   | 2-3   | 0.2-0.6 | 0.4-0.8  | 175   | 5.03   |          |                       |   |
|   |                       | YSN8021 | DN25         | 30-80   | 4-8   | 0.3-0.8 | 0.6-1.2  | 395   | 13.97  |          |                       |   |
|   |                       | YSN8022 | DN40         | 30-80   | 10-15 | 0.6-1.0 | 0.8-1.5  | 620   | 22.35  |          |                       |   |
|    | Phoenix Tail Nozzle   |         |              |         |       |         |          |       |        |          | SUS304+copper plating |    |
|   |                       | YSN8024 | DN20         | 50-70   | 2-4   | 2-3     | ray      | 450   | 20.95  |          |                       |   |
|   |                       | YSN8025 | DN25         | 50-80   | 5-8   | 2-3     | ray      | 830   | 27.94  |          |                       |   |
|   |                       | YSN8026 | DN40         | 50-15   | 7-10  | 2-3     | ray      | 1200  | 39.11  |          |                       |   |
|  | Dandelion Nozzle      |         |              |         |       |         |          |       |        |          | SUS304                |  |
|   |                       | YSN9001 | DN25(1")     | 60-100  | 8     | 0.4     | 0.6      | 4500  | 111.75 | 31 Tube  |                       |   |
|   |                       | YSN9002 | DN40(1 1/2") | 80-100  | 10    | 0.5     | 0.8      |       | 167.62 | 41 Tube  |                       |   |
|   |                       | YSN9003 | DN50(2")     | 80-100  | 13    | 0.7     | 1.0      | 13800 | 335.24 | 65 Tube  |                       |   |
|   |                       | YSN9004 | DN80(3")     | 80-100  | 30    | 1.0     | 1.8      | 31000 | 698.41 | 105 Tube |                       |   |
|  | Multi-branch Nozzle   |         |              |         |       |         |          |       |        |          | SUS304                |  |
|   |                       | YSN9005 | DN15         | 60-100  | 2-4   | 0.5-2   | parabola | 280   | 15.37  |          |                       |   |
|   |                       | YSN9006 | DN20         | 80-100  | 4-9   | 1-3     | parabola | 415   | 18.16  |          |                       |   |
|   |                       | YSN9007 | DN25         | 180-250 | 8-15  | 1.5-4   | parabola | 565   | 22.35  |          |                       |   |
|   |                       | YSN9008 | DN40         | 250-290 | 15-20 | 2-5     | parabola | 685   | 27.94  |          |                       |   |
|  | Adjustable Three Tier |         |              |         |       |         |          |       |        |          | SUS304+copper plating |  |
|   |                       | YSN9009 | DN25         | 20      | 12    | 2.3     | 2.3      | 1575  | 50.29  |          |                       |   |
|   |                       | YSN9010 | DN40         | 50      | 18    | 2.5     | 2.5      | 1585  | 55.87  |          |                       |   |

|   |                         |         |       |        |       |         |         |       |         |                 |   |
|---|-------------------------|---------|-------|--------|-------|---------|---------|-------|---------|-----------------|---|
|  | Heighthened Ball Nozzle |         |       |        |       |         |         |       |         | SUS304          |  |
|   |                         | YSN2013 | DN15  | 20-40  | 1     | 0.2     | 0.3     | 245   | 5.03    |                 |   |
|   |                         | YSN2014 | DN20  | 30-40  | 1.5   | 0.25    | 0.5     | 325   | 6.15    |                 |   |
|   |                         | YSN2015 | DN25  | 30-50  | 2     | 0.25    | 0.6     | 380   | 6.98    |                 |   |
|   |                         | YSN2016 | DN40  |        |       |         |         |       | 12.57   |                 |   |
|  | Water Column Nozzle-1   |         |       |        |       |         |         |       |         | SUS304          |  |
|   |                         | YSN8113 | DN25  | 50-200 | 6-12  | 1.5-5.5 | 0.5-0.8 | 285   | 7.82    |                 |   |
|   |                         | YSN8114 | DN40  | 50-200 | 10-15 | 2-7     | 0.6-1.0 | 505   | 12.57   |                 |   |
|  | SUS Ice Effect          |         |       |        |       |         |         |       |         | SUS304          |  |
|   |                         | YSN9101 | DN25  | 50-200 | 10-15 | 2-3     | 0.5     | 970   | 41.90   |                 |   |
|   |                         |         | DN40  |        |       |         |         |       | 55.87   |                 |   |
|  | Plastic Ice Effect      |         |       |        |       |         |         |       |         | SUS304 +plastic |  |
|   |                         | YSN9211 | DN25  | 50-200 | 10-15 | 2-3     | 0.5     | 450   | 13.97   |                 |   |
|   |                         |         |       |        |       |         |         |       |         |                 |   |
|  | High Spray              |         |       |        |       |         |         |       |         | SUS304          |  |
|   |                         | YSN1009 | DN100 | /      | /     | /       | 50-60   | 12900 | 419.05  |                 |   |
|   |                         | YSN1010 | DN125 | /      | /     | /       | 70-80   | 25000 | 558.73  |                 |   |
|   |                         | YSN1011 | DN150 | /      | /     | /       | 90-100  |       | 698.41  |                 |   |
|   |                         |         | DN200 |        |       |         |         |       | 1117.46 |                 |   |